

## Yellow Small Diesel Welder Generator 50HZ 60HZ Portable Diesel Welding **Machine**

### **Basic Information**

. Place of Origin: China . Brand Name: **GET** ISO CE · Certification: · Price: Negotiable • Delivery Time: 15-20 workdays

LC, T/T, PayPal, Western Union, Small-Payment Terms:

amount payment, Money Gram



### **Product Specification**

• Rated Frequency: 50hz 60hz Rated Power (kw):

• Rated Voltage (V): 220V Or As Request

• Rated Currency (A): 8.7 9.5A • Rated Rotation Speed 3000 3600

(r/min):

• Phase No.: Single Phase

Power Factor: • No Load Welding Voltage: 65-70V Insulation Grade: F • Pole Number:

. Engine Mode: GET186FA GET192F

Displacement(ml): 418 456

. Engine Type: Single Cylinder, Vertical, Four Stroke, Direct

Injection, Air-cooled

Dava V Ctualia (mana).

#### **Product Description**

#### Portable Diesel Welder Generator GET6500EAW Diesel Generator For Welding Machine

Portable diesel welder generators have a wide range of applications and are commonly used in various industries and settings. Here are some typical applications where portable diesel welder generators excel:

Rated Power (kw):	25	
Rated Currency (A):	8.7 9.5A	
Phase No.:	Single Phase	
No Load Welding Voltage:	65-70V	
Pole Number:	2	
Displacement(ml):	418 456	
Bore X Stroke (mm):	1-86x72/ 1-92x75	
Rated Power:	5.7 6.3/ 7.2 8.2	
Lube Oil Brand:	CD Grade Or SAE10W-30, 15W-40	
Fuel Type:	0#(summer)-10#(winter)-35#(chillness) Diesel	
Fuel Tank Capacity (L):	13.5	
Rated Welding Current:	180A 220A	
Welding Load Continous Ratio:	60%	
Electrode Diameter:	1.6-3.2mm 1.6-5.0mm	
Rectifying Mode:	Diode	
Overall Dimension:	720x492x655mm	
Dry Weight:	112kg 116kg	
Rated Frequency:	50hz 60hz	
Rated Voltage (V):	220V Or As Request	
Rated Rotation Speed (r/min):	3000 3600	
Power Factor:	1	
Insulation Grade:	F	
Engine Mode:	GET186FA GET192F	
Engine Type:	Single Cylinder, Vertical, Four Stroke, Direct Injection, Aircooled	
Compression Ratio:	19:01	
Lubrication System:	Pressure Splashed	
Lube Capacity (L):	1.65	
Fuel Consumption (g/kw*h):	≤280	
Continuous Running Time:	8h	
Welding Voltage:	25-30V	
Welding Current Adjustment	50-180A/ 50-200A	
Range:		
Excitation Mode:	Seperate-excitation+AVR Voltage Regulation AVR	
Connection Mode:	Drive Bearing, Rigid Connection	
Structure Type:	Open Type	

Emergency Response: During emergency situations, such as natural disasters or power outages, portable diesel welder generators can provide immediate power and welding capabilities for critical operations. They are often deployed by emergency response teams for tasks like rescue operations, temporary infrastructure repairs, and restoration efforts. Farming and Agriculture: Portable diesel welder generators find applications in farming and agriculture, where they can power electric fencing systems, water pumps, and other equipment. Additionally, they can be used for on-site welding tasks related to farm machinery repairs and construction of farm structures.

Events and Outdoor Activities: Portable diesel welder generators are frequently utilized in outdoor events and activities, such as concerts, festivals, and sports competitions. They provide a reliable power source for lighting, sound systems, food stalls, and other event-related equipment. Moreover, they can be used for on-site welding requirements, such as stage construction or temporary infrastructure setup.

Mobile Welding Services: Welding professionals who offer mobile welding services often rely on portable diesel welder generators. These generators allow them to travel to different locations and provide welding services without depending on external power sources.

The versatility, portability, and self-contained nature of portable diesel welder generators make them indispensable in various industries and settings where a combination of power and welding capabilities is needed on the go.



D T Mod		OLTHOOLAN	DETTMODERNY	
MXMIT Robot trappings	16	50 60		
MEST Substituted	eser .	1.5	2.1	
MERIC ROST VIRGO	- W	DOV III HUMBE		
HERE SANGERS		17 20	87 13	
BI E FUE Clothed speed	retriger .			
66 Phose No.		44 Sophites		
DE BOX Proper harder	579.0			
O B 40 6 II For had selding colonia	- W	6.5		
M.S. Will G.H. Plated spities current	4.	180	686	
MEGS Vering robust	N N	25.00	25.20	
GROWFIEL Printing least preferant ratio		40.		
STERRITE Weing send plumed uppe	A .	10-110	96-398	
ERMA ER Cachola Sando	100	18-32	18-83	
BRAIL Dones make		September and their and the register AVE SEE		
MESS Schools		_BB took		
BORDS CHANGE TOOK		BY BRITAIN CITY DIVING AND COMMON		
BIRRY Poulton grade		-		
RR handler				
EVERT Croims Model		GETWINA	SETTING.	
ENGINEER Copys Tree		\$5, 57, K48, SW, K4636Seph-rinte select his even description at resist		
GB Internet	- Mil.	68	496	
CONTROL Box colodes	-	1.4673	1.0078	
BIES Compressor ratio		1001	1904	
Digital Million Rabed power	66	67 49	72 82	
RESIZ Labelance system	-	BS/1888/S Penne started		
RESIDENT Laberal board		CD 460 × 34C 107-31, 107-40		
RESTRICT LABOUR TO	4	149	1.60	
REDUCTORY WHEN		PRODUCTION OF THE WATER STORM		
BRANK Sense specty	9-40	127-298		
		OR FERSON OF LANCE CARD BASE OR Francisco Little Lance Little Lance Cardinary		
BERE helige				
COMPANA FACORAGE	HOUSE.	100		
COMMERCE CHARGE SHOWN		11.5	194	
BLESS STORY CONTRACTOR STORY	- 1			
B B Solve InvestiGes	office)			
BRAIL Busherings		#8 Own hare		
ESPECTOrest direction	-	70790780		
REPECT WINE	hig	118	116	

# GET Wuxi Guangertai Power Machinery Co.,Ltd

13813650506

2415819289@qq.com

@ dieselenginepumps.com

NO.88 Shenxing East Road, Wanshi Town, Yixing City,CHINA