

8500T Ultra Quiet Portable Generator 72 DB With Electric Start

Basic Information

. Place of Origin: China . Brand Name: **GET** ISO CE · Certification: · Price: Negotiable • Delivery Time: 15-20 workdays

LC, T/T, PayPal, Western Union, Small-Payment Terms:

amount payment, Money Gram



Product Specification

. Rated Frequency: 50hz 60hz

Rated Output(kw): 2.5 2.8/ 4.5 4.8/ 4.8 5.0/ 5.7 6.0/ 6.0 6.3 • Max Output (kw): 2.7 3.0/ 5.0 5.2/ 5.2/5.5/ 6.3 6.9/ 6.8 7.7

220V Or As Request • Rated Voltage (V):

• Rated Currency (A): 11.3 12.7/ 20.4 21.8/ 21.8 22.7/ 25.9 27.2/

27.2 28.6

Rated Rotation Speed

(r/min):

3000 3600

• Phase No.: Single Phase

Power Factor: 1 F Insulation Grade: • Pole Number: 2

Excitation Mode: Self-excitation & Constant Voltage (AVR)

Panel Type: General Panel . Receptacle: Two Receptacles

Cammantian Dala

Product Description

GET8500T Electric Start Ultra Quiet Portable Generator 72 DB

Ultra-quiet portable generators offer several advantages over conventional generators, particularly in situations where noise reduction is important. Here are some key advantages of ultra-quiet portable generators:

Noise Reduction: The primary advantage of ultra-quiet portable generators is their significantly reduced noise emissions. These generators are designed with advanced soundproofing technologies, insulation, and mufflers to operate at exceptionally low noise levels. This makes them suitable for use in noise-sensitive environments, such as residential areas, camping sites, and outdoor events, where noise restrictions are in place or where a quiet atmosphere is desired.

Improved Comfort and Convenience: Ultra-quiet portable generators provide a more pleasant and comfortable experience for users and those around them. The low noise levels ensure minimal disruption to daily activities, sleep, or social gatherings. Users can enjoy the convenience of portable power without the annoyance or disturbance caused by traditional noisy generators.

Enhanced Mobility: Ultra-quiet portable generators are designed to be lightweight, compact, and easy to transport. They are often equipped with built-in handles or wheels for effortless maneuverability. This makes them highly portable and convenient for various applications, including camping trips, outdoor events, and emergency situations.

Versatility: Ultra-quiet portable generators are versatile in their applications. They can power a wide range of devices and appliances, including electronics, camping equipment, power tools, and small household appliances. Their compact size and quiet operation make them suitable for both recreational and emergency use.

Phase No.:	Single Phase				
Insulation Grade:	F				
Excitation Mode:	Self-excitation & Constant Voltage (AVR)				
Receptacle:	Two Receptacles				
DC 12V Output:	Connection Pole Output				
Dry Weight (kg):	164 150 150 153 161				
Noise Level (7m):	72 DB				
Engine Type:	Single Cylinder, Vertical, Four Stroke, Direct Injection, Air-cooled				
Displacement(ml):	296 418 456 498 531				
Compression Ratio:	20:01, 19:01				
Starting System:	Electric Start				
Lube Oil Brand:	CD Grade Or SAE10W-30, 15W-40				
Starting Motor Capacity:	12V 0.9KW/ 12V 1.2KW				
Battery Capacity:	12V 30Ah				
Fuel Tank Capacity (L):	15				
Rated Output(kw):	2.5 2.8/ 4.5 4.8/ 4.8 5.0/ 5.7 6.0/ 6.0 6.3				
Rated Voltage (V):	220V Or As Request				
Rated Rotation Speed (r/min):	3000 3600				
Power Factor:	1				
Pole Number:	2				
Panel Type:	General Panel				
Connection Pole:	Without				
Overall Dmension(mm):	945*555*700				
Working Assorting Weight (kg):	179 185 186 186 187				
Structure Type:	Silent Type				
Cylinder Nobore X Stroke (mm):	1-78x62/ 1-86x72/ 1-88x75/ 1-92x75/ 1-95x75				
Rated Power:	3.68/3000-4/3600. 5.7/3000-6.3/3600. 6.5/3000-7.2/3600. 7.6/3000-8.2/3600. 8.1/3000-8.7/3600				
Lubrication System:	Pressure Splashed				
Fuel Type:	0#(summer)-10#(winter)-35#(chillness) Diesel				
Lube Capacity (L):	1.1/ 1.65				
Charging Generator Capacity:	12V 8.3A				
Fuel Consumption (g/kw*h):	≤280				
Continuous Running Time:	11h 8h 8h 7h 7h				

Overall, the advantages of ultra-quiet portable generators lie in their ability to provide reliable and portable power while significantly reducing noise emissions. This makes them well-suited for a wide range of applications, including camping, outdoor events, residential use, and emergency backup power, where noise reduction, convenience, and comfort are essential considerations.



			CETTOME			
BERE Osterbanery Dr.)	0013000	100.700001	- N	0019000	100,1900001	
BERN Concepted (AV)	28.28	65.43	48.53	17.40	60 63	
BARR No. name (NV)	37.30	10.10	17.10	63.69	68.32	
BEE D.N. Platest vollage (5)	DOVERNMENT PROFESSION OF A STREET					
BERE Paletonerry (4)	712 127 204 218 214 227 203 272 272 208					
EXPRIS Finish Address speed Colone 1	112 127	200 213	3000 3000	207.212	22.00	
BIR Chair M.	## troughter					
SHEET Francis Solley (Cos. ©)	The state of the s					
BORRES TOWNS TOWNS						
BIR THE CARDON	1					
Big of Cycleton male	A BREET / Wareh Suit contration & construct units as starting					
ENERG Provi Spo	B BEST (BWY1) Set -extends 5 contact charge prints B BBST (several front					
BORD TOWN TOW	A 1 6 6 6 6 7 to contain					
Bit 686 Constitution pris	A Billion					
BROK MY OF MY ARM	MARINE Committee only a sized					
BIRTH Grand Streeting LL (Walt) (mg)	647-027-04	8650000	985 555 790	647 TOT TO	86.9879	
BE Do wint I to I	MA - 100 - 100	100	150	107	B0 500 100	
EVENT TO SERVE STATES AND ADDRESS OF THE SERVE STATES AND ADDR	179	- 10	160	100		
CONTROL SAN DESCRIPTION	79	- 2	- 10	- 10	- 2	
BEREZ Trades has	- 4		Sheet how			
SIDERS Corporated	SETTING OFFINERA CETTING SETTING OFFINER					
SIDER Course Type	BETTER DETTERA DETTERA DETTERA DETTERA DELL'ADORDO DETTERA DELL'ADORDO DELL'AD					
SOME AND	1-1752 1-0772 1-0775 1-0775 1-0775					
BIRE Displacement or	1-19-60	68	450	400	500	
Bit this property (see)	3390	5.00000.6.00000	6.5/2000 7.2/2000	14/2000 5 1/2000	81700004 7780	
END Communication	7007	1961	1000 L	1974	1961	
ERFOLLATION SAND	E to VARRENT Promote sciented					
AND THE CONTRACT SPACES	E.D. VARENT, Pressure sylvathed					
MIRRIE FUELOS	(中 (東京) - Not (高京) - Mot (衛星) 報酬 (beself it turney) - Not (sinter) - Not trilines deset					
MEAN CLASS III STORY	CD great or GM GM, ML, 1997-60					
PERSONAL Later companies (L.)	1.5	1.65	145	1.46	1.66	
BUSINESS Starting motor squartly (19-44)	100 biles	12V COM	501 6.0041	120 1,200	107 1,000	
ESESSES Charges personal reports V-A	50V 8.36	129 8.56	SIV AM	50Y 8.36	129 8.56	
BRANK Schreigenbrig-At-1	127 3044 127 3444					
MERRE Parconantin (staft)	+289	+290	<380	<290	<380	
MERRE TWEEN INSIN 11.1	- 11	19	13	70	19	
BYESFERR CORNING OWING SING N	- 11					

GET Wuxi Guangertai Power Machinery Co.,Ltd

13813650506

2415819289@qq.com

@ dieselenginepumps.com

NO.88 Shenxing East Road, Wanshi Town, Yixing City,CHINA