



9500T Ultra Silent Generator 50hz 60hz Ultra Quiet Diesel Generator

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: GET
- Certification: ISO CE
- Price: Negotiable
- Delivery Time: 15-20 workdays
- Payment Terms: LC, T/T, PayPal, Western Union, Small-amount payment, Money Gram



Product Specification

- Rated Frequency: 50hz 60hz
- Rated Output(kw): 2.5 2.8/ 4.5 4.8/ 4.8 5.0/ 5.7 6.0/ 6.0 6.3
- Max Output (kw): 2.7 3.0/ 5.0 5.2/ 5.2/5.5/ 6.3 6.9/ 6.8 7.7
- Rated Voltage (V): 220V Or As Request
- Rated Current (A): 11.3 12.7/ 20.4 21.8/ 21.8 22.7/ 25.9 27.2/ 27.2 28.6
- Rated Rotation Speed (r/min): 3000 3600
- Phase No.: Single Phase
- Power Factor: 1
- Insulation Grade: F
- Pole Number: 2
- Excitation Mode: Self-excitation & Constant Voltage (AVR)
- Panel Type: General Panel
- Receptacle: Two Receptacles
- Operation Mode: Without

for more products please visit us on dieselenginepumps.com

GET9500T Ultra Quiet Inverter Generator Ultra Silent Generator 50hz 60hz

Environmentally Friendly: Many ultra-quiet portable generators are engineered to be more fuel-efficient, reducing both fuel consumption and emissions. This not only benefits the environment but also extends the generator's runtime on a single tank of fuel. Additionally, some models offer the option to run on eco-mode, which adjusts the engine speed to match the power demand, further reducing fuel consumption and noise levels.

Reliable Power Source: Despite their quiet operation, ultra-quiet portable generators provide reliable power when you need it most. They are designed to deliver stable and consistent power output, ensuring the smooth operation of your essential electronics, appliances, or tools.

Safety Features: Ultra-quiet portable generators typically incorporate safety features such as overload protection, low-oil shutdown, and automatic voltage regulation. These features help protect the generator and connected devices from damage, ensuring safe and reliable operation.

Phase No.:	Single Phase
Insulation Grade:	F
Excitation Mode:	Self-excitation & Constant Voltage (AVR)
Receptacle:	Two Receptacles
DC 12V Output:	Connection Pole Output
Dry Weight (kg):	164 150 150 153 161
Noise Level (7m):	72 DB
Engine Type:	Single Cylinder, Vertical, Four Stroke, Direct Injection, Air-cooled
Displacement(ml):	296 418 456 498 531
Compression Ratio:	20:01, 19:01
Starting System:	Electric Start
Lube Oil Brand:	CD Grade Or SAE10W-30, 15W-40
Starting Motor Capacity:	12V 0.9KW/ 12V 1.2KW
Battery Capacity:	12V 30Ah
Fuel Tank Capacity (L):	15
Rated Output(kw):	2.5 2.8/ 4.5 4.8/ 4.8 5.0/ 5.7 6.0/ 6.0 6.3
Rated Voltage (V):	220V Or As Request
Rated Rotation Speed (r/min):	3000 3600
Power Factor:	1
Pole Number:	2
Panel Type:	General Panel
Connection Pole:	Without
Overall Dmension(mm):	945*555*700
Working Assorting Weight (kg):	179 185 186 186 187
Structure Type:	Silent Type
Cylinder No. -bore X Stroke (mm):	1-78x62/ 1-86x72/ 1-88x75/ 1-92x75/ 1-95x75
Rated Power:	3.68/3000-4/3600. 5.7/3000-6.3/3600. 6.5/3000-7.2/3600. 7.6/3000-8.2/3600. 8.1/3000-8.7/3600
Lubrication System:	Pressure Splashed
Fuel Type:	0#(summer)-10#(winter)-35#(chillness) Diesel
Lube Capacity (L):	1.1/ 1.65
Charging Generator Capacity:	12V 8.3A
Fuel Consumption (g/kw*h):	≤280
Continuous Running Time:	11h 8h 8h 7h 7h



Item Name	OPT10000	OPT10000	OPT10000	OPT10000	OPT10000
Processor (CPU) (MHz)	1000000	1000000	1000000	1000000	1000000
Memory (RAM) (MB)	256	256	256	256	256
Hard Disk (HD) (GB)	10	10	10	10	10
Optical Drive (OD) (x)	1	1	1	1	1
Mouse (M) (x)	1	1	1	1	1
Keyboard (K) (x)	1	1	1	1	1
Power Supply (PS) (W)	300	300	300	300	300
Case (C) (x)	1	1	1	1	1
Operating System (OS) (x)	1	1	1	1	1
Software (S) (x)	1	1	1	1	1
Documentation (D) (x)	1	1	1	1	1
Warranty (W) (x)	1	1	1	1	1
Accessories (A) (x)	1	1	1	1	1
Shipping (S) (x)	1	1	1	1	1
Installation (I) (x)	1	1	1	1	1
Support (P) (x)	1	1	1	1	1
Training (T) (x)	1	1	1	1	1
Consulting (C) (x)	1	1	1	1	1
Integration (IN) (x)	1	1	1	1	1
Migration (M) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1	1	1	1
Monitoring (MO) (x)	1	1	1	1	1
Maintenance (MA) (x)	1	1	1	1	1
Repair (R) (x)	1	1	1	1	1
Replacement (RE) (x)	1	1	1	1	1
Upgrade (U) (x)	1	1	1	1	1
Customization (CU) (x)	1	1	1	1	1
Configuration (CO) (x)	1	1	1	1	1
Deployment (DE) (x)	1	1			



Wuxi Guangertai Power Machinery Co.,Ltd



13813650506



2415819289@qq.com



dieselenginepumps.com

NO.88 Shenxing East Road, Wanshi Town, Yixing City, CHINA